

[TEXT APPEARS ON SCREEN]

I'm not just 169/96

I'm Glenn

Based on the story of Glenn, a real EDARBYCLOR® (azilsartan medoxomil/chlorthalidone) patient

Well, a DJ's lifestyle is not really conducive to health and wellness. Early mornings, late nights, a lot of fried chicken events. My genetics didn't help either. My dad had high blood pressure and he died of heart disease after three triple bypass operations. Even with that kind of family history, it didn't dawn on me that I was at risk too. My blood pressure was at 169 over 96 and I had ballooned up to 290 pounds. Once I started

EDARBYCLOR®, I started noticing improvements in

[TEXT APPEARS ON SCREEN]

Available by prescription only.

my blood pressure readings. EDARBYCLOR® has become

part of my routine. I walk a mile a day after work, and I make it a point to eat healthier foods, and now my blood pressure is much lower.

[TEXT APPEARS ON SCREEN]

Results may vary.

EDARBYCLOR® is a prescription medicine used

to treat high blood pressure. Your doctor may

[TEXT APPEARS ON SCREEN]

EDARBYCLOR® (azilsartan medoxomil/chlorthalidone) is a prescription medication used to treat high blood pressure.

Your doctor may prescribe other medicines for you to take along with EDARBYCLOR® (azilsartan medoxomil/chlorthalidone) to treat your high blood pressure.

EDARBYCLOR® (azilsartan medoxomil/chlorthalidone) is used when one medicine is not enough or as your first medicine if your doctor decides you are likely to need more than one medicine.

Medicines that lower your blood pressure may lower your chances of having a stroke or heart attack, but they don't work alone. It should be part of a complete treatment plan.

prescribe other medicines for you to take along

with EDARBYCLOR® to treat your high blood pressure.

EDARBYCLOR® is used when one medicine

is not enough or as the first medicine

if your doctor decides you're likely to need more than one medicine. Medicines that lower your blood pressure may lower your chances of having a stroke or heart attack but they do not work alone. They should be part of a complete treatment plan.

EDARBYCLOR® can cause harm or death to your

unborn baby. If you become pregnant while taking

EDARBYCLOR®, tell your doctor right away. If you plan

[TEXT APPEARS ON SCREEN]

EDARBYCLOR® (azilsartan medoxomil/chlorthalidone) can cause harm or death to your unborn baby. If you become pregnant while taking EDARBYCLOR® (azilsartan medoxomil/chlorthalidone), tell your doctor right away. If you plan to become pregnant, talk to your doctor about other treatments to lower your blood pressure.

to become pregnant, talk to your doctor about other treatments to lower your blood pressure.

Before taking EDARBYCLOR®, tell your doctor

if you are breastfeeding or plan to breastfeed.

[TEXT APPEARS ON SCREEN]

Before taking EDARBYCLOR® (azilsartan medoxomil/chlorthalidone), tell your doctor if you are breastfeeding or plan to breastfeed.

Tell your doctor about all your medical conditions and all the medicines you take,

[TEXT APPEARS ON SCREEN]

Tell your doctor about all your medical conditions and all the medicines you take, both prescription and non-prescription. both prescription and non-prescription. Tell your doctor if you have fluid or body salt problems.

[TEXT APPEARS ON SCREEN]

Tell your doctor if you have fluid or body salt problems. Do not take EDARBYCLOR® (azilsartan medoxomil/chlorthalidone) if you have less urine because of kidney problems.

Do not take EDARBYCLOR® if you make

less urine because of kidney problems.

Do not take Aliskiren with

EDARBYCLOR® if you have diabetes.

[TEXT APPEARS ON SCREEN]

Do not take Aliskiren with EDARBYCLOR® (azilsartan medoxomil/chlorthalidone) if you have diabetes.

EDARBYCLOR® (azilsartan medoxomil/chlorthalidone) may cause serious side effects, including low blood pressure. In clinical studies, the most common side effect seen with EDARBYCLOR® (azilsartan medoxomil/chlorthalidone) were dizziness and tiredness. These are not all the risks or possible side effects seen with EDARBYCLOR® (azilsartan medoxomil/chlorthalidone).

EDARBYCLOR® may cause serious side effects

including low blood pressure. In clinical

studies, the most common side effects seen with

EDARBYCLOR® were dizziness and tiredness. These are

not all the risks or possible side effects of

EDARBYCLOR®. For more information, talk to your doctor. If high blood pressure runs in your family, you might be a risk too. Get checked out. Talk to

[TEXT APPEARS ON SCREEN]

For more information, talk to your doctor.

Medicines that lower your blood pressure may lower your chances of having a stroke or heart attack, but they don't work alone. It should be part of a complete treatment plan.

your doctor and please see complete prescribing information for EDARBYCLOR at www.edarbi.com.

[TEXT APPEARS ON SCREEN]

I'm Glenn

... and I'm getting closer to goal

Ask your doctor

Please see complete Prescribing Information including Boxed Warning at www.edarbi.com.

EDARBYCLOR® is exclusively marketed in the United States by Arbor Pharmaceuticals, LLC.

EDARBYCLOR® is a trademark of Takeda Pharmaceutical Company Limited registered with the U.S. Patent and Trademark Office and used under license by Arbor Pharmaceuticals, LLC.

© 2021-2022 Arbor Pharmaceuticals, LLC, a subsidiary of Azurity Pharmaceuticals, Inc. PP-EDY-US-0127